CARING PROFESSIONALS, INC Caring Assistants-CDPAP

How to Protect Yourself- CoronaVirus COVID-19- Consumer Education Guide

Older adults and people who have severe underlying chronic medical conditions like heart or lung disease or diabetes seem to be at higher risk for developing more serious complications from COVID-19 illness. Please consult with your health care provider about additional steps you may be able to take to protect yourself.

Know How it Spreads

There is currently no vaccine to prevent coronavirus disease 2019 (COVID-19).

- The best way to prevent illness is to avoid being exposed to this virus.
- The virus is thought to spread mainly from person-to-person.
 - Between people who are in close contact with one another (within about 6 feet).
 - Through respiratory droplets produced when an infected person coughs or sneezes.
- These droplets can land in the mouths or noses of people who are nearby or possibly be inhaled into the lungs.

Take steps to protect yourself

Clean your hands often

- **Wash your hands** often with soap and water for at least 20 seconds especially after you have been in a public place, or after blowing your nose, coughing, or sneezing.
- If soap and water are not readily available, use a hand sanitizer that contains at least 60% alcohol. Cover all surfaces of your hands and rub them together until they feel dry.
- Avoid touching your eyes, nose, and mouth with unwashed hands.

Avoid close contact

- Avoid close contact with people who are sick
- Put **distance between yourself and other people** if COVID-19 is spreading in your community. This is especially important for <u>people who are at higher risk of getting very sick</u>.
- Limit visitors to your home and avoid attending public events, such as community centers, public cafeterias, churches, synagogues, social day care centers.

Take steps to protect others

Please inform your coordinator, aides and your nurse immediately if you develop fever, cough, shortness of breath or difficulty breathing!

Please inform your coordinator, aides and your nurse if you or someone you have been in close contact with was diagnosed or is being tested for COVID 19, or if you are someone you have been in contact with was ordered to self quarantine!

- **Stay home** if you are sick, except to get medical care.
- Cover coughs and sneezes
- Cover your mouth and nose with a tissue when you cough or sneeze or use the inside of your elbow.
- **Throw used tissues** in the trash.
- Immediately **wash your hands** with soap and water for at least 20 seconds. If soap and water are not readily available, clean your hands with a hand sanitizer that contains at least 60% alcohol.

Wear a facemask if you are sick

• If you are sick: You should wear a facemask when you are around other people (e.g., sharing a room or vehicle) and before you enter a healthcare provider's office. If you are not able to wear a facemask (for example, because it causes trouble breathing), then you should do your best to cover your coughs and sneezes, and people who are caring for you should wear a facemask if they enter your room.

- Please call your nurse case manager at MLTC (insurance plan) and request masks and gloves
- If you are NOT sick: You do not need to wear a facemask unless you are caring for someone who is sick (and they are not able to wear a facemask). Facemasks may be in short supply and they should be saved for caregivers.

Clean and disinfect

- Clean AND disinfect <u>frequently touched surfaces</u> daily. This includes tables, doorknobs, light switches, countertops, handles, desks, phones, keyboards, toilets, faucets, and sinks.
- **If surfaces are dirty, clean them:** Use detergent or soap and water prior to disinfection.

To disinfect:

Most common EPA-registered household disinfectants will work. Use disinfectants appropriate for the surface.

Options include:

Diluting your household bleach.

To make a bleach solution, mix:

- 5 tablespoons (1/3rd cup) bleach per gallon of water OR
- 4 teaspoons bleach per quart of water

Follow manufacturer's instructions for application and proper ventilation. Check to ensure the product is not past its expiration date. Never mix household bleach with ammonia or any other cleanser. Unexpired household bleach will be effective against coronaviruses when properly diluted.

Alcohol solutions.

Ensure solution has at least 70% alcohol.

• Other common EPA-registered household disinfectants.

Products with claims are expected to be effective against COVID-19 based on data for harder to kill viruses. Follow the manufacturer's instructions for all cleaning

and disinfection products (e.g., concentration, application method and contact time, etc.).

Please ensure that you have adequate amount of non perishable/canned food, medications, water and household necessities for at least 14 days.